

RANGAIRE

For better living in the home



RANGAIRE CORPORATION

ROBERTS - COBELL DIVISION

CLEBURNE, TEXAS 76031

SOUTHEASTERN SALES OFFICE 7 COX STREET GREENVILLE, SOUTH CAROLINA / WESTERN SALES OFFICE 2606 STINGLE AVE. ROSEMEAD, CALIFORNIA

RANGAIRE



KITCHEN RANGE HOODS

Rangaire kitchen range hoods are designed and manufactured with primary emphasis on quality. Each working component is "life tested," before being incorporated, to insure long trouble-free service, and all models are certified and tested for performance by the appropriate testing laboratory. Lights are covered by glass for appearance and ease of cleaning. Lustrous baked enamel and stainless steel finishes are easily wiped clean with a damp cloth. All filters are easily removed and permanent filters require only dip-wash cleaning.

- ® **Model 422** — Exclusive Rangaire range hood makes the Provincial or Early American kitchen complete, blends perfectly with your cabinets. Features include twin squirrel-cage "Super-Silent" exhaust unit, aluminum filter, recessed light with glass cover, antique sculptured control knobs, two-speed motor and on-off light switch. Standard or major appliance colors. UL listed. Complies with FHA, VA and local ordinances. HVI Certified Ratings: Vertical 250 CFM, Horizontal 250 CFM.

- ® **Model 272** — Styles to blend with your modern appliances, provide the ultimate in ventilating efficiency. Features include twin squirrel-cage "Super-Silent" exhaust unit, aluminum filter, recessed light with glass cover, two-speed push-button motor and light switches, and jeweled "on" indicator light. Standard or major appliance colors and stainless steel. Order in straight or 30-degree mitered corners. UL listed. Complies with FHA, VA, local ordinances. HVI Certified Ratings: Vertical 250 CFM, horizontal 250 CFM.

- ® **Model 302** — Refinements in styling include gracefully contoured canopy and classic chrome framed front panel. Rangaire Model 302 features extremely quiet squirrel-cage exhaust unit, aluminum filter, double glass-covered lights, rotary two-speed motor switch, "on" indicator light. Standard or major appliance colors and stainless steel. UL listed. Complies with FHA, VA and local ordinances. Vertical 225 CFM, Horizontal 225 CFM.

- ® **Model 623** — Ductless, for the deluxe kitchen where venting is impractical. The Model 623 features triple filtering with a V-93 composition smoke filter, charcoal filter to extract odors and aluminum grease filter. Included are recessed glass-covered light, two-speed rotary motor switch and rotary light switch. Comes with 30-degree mitered corners. Standard or major appliance colors. UL listed. Complies with FHA, VA, local ordinances.

- ® **Model 223** — This Rangaire model answers the need for an economical no-vent range hood. Crisp, clean styling blends with modern appliances. Features include aluminum filter and activated charcoal filter, 9-inch circulating fan unit, recessed glass-covered light, push-button motors and light switch, 30-degree mitered corners. Standard or major appliance colors and stainless steel. UL listed. Complies with FHA, VA and local ordinances.

- ® **Model 222** — Clean classic design and efficient ventilation at moderate price. Deluxe features include two-speed 9-inch Ventura-Flo exhaust unit, aluminum filter, recessed glass-covered light, push-button motor and light switches. Standard or major appliance colors and stainless steel. Order in straight or 30-degree mitered corners. UL listed. Complies with FHA, VA, local ordinances. HVI Certified Ratings: Vertical 180 CFM, Horizontal 225 CFM.






MODEL 422



MODEL 302

Elegant Rangaire Design



MODEL 623





MODEL 272



MODEL 222

For Distinctive Kitchens



MODEL 223



MODEL 270 ISLAND

Island Range Hoods

For the island or peninsula cabinet installation, Rangaire offers the 420 Island Kitchen-Mate and 270 Island Appliance-Mate range hoods. Both have the same deluxe features as the Rangaire models 420 and 270, including "Super-Silent" exhaust unit. They give your kitchen that "Custom" look without the high cost of a custom range hood. Twin squirrel-cage "Super-Silent" exhaust unit. Aluminum filter. Recessed light with glass cover. Two-speed motor and light switches. 270 Island has indicator light. Standard or major appliance colors. UL listed. Complies with FHA, VA and local ordinances. HVI Certified Ratings: 250 CFM.




MODEL 420 ISLAND


Bar-B-Que Hoods

Rangaire's Barbecue hoods are available in four attractive canopy models which fit all possible installations. A powerful dual squirrel-cage exhaust unit exhausts smoke and odor from indoor barbecue grills or range tops quickly and quietly. Solid state rotary controls allow exact speed adjustment of the exhaust unit for the ultimate efficiency. Other features include twin glass-covered lights and dual aluminum filters. Standard or major appliance colors and stainless steel. UL listed. HVI Rating 1100 CFM.


Model 510 exhaust unit fits all Rangaire barbecue hoods




**Model 514
Island**



**Model 513
Peninsula**



**Model 511
Wall Mount**




**Model 512
Pass Through**



Rangaire Custom Line — For special installations and unusual design requirements, the Rangaire Custom Department will build a hood to your personal specifications in the material and finish of your choice. The Rangaire "Super-Silent" exhaust unit is available in all custom range hoods. Shown here are examples of the many possibilities to suit your personal taste.

Hood Specifications





Form — 3-157-B



RANGAIRE CORPORATION • ROBERTS-COBELL DIVISION • Cleburne, Texas

MODEL 270

Exquisite design, life-time quality, the ultimate in ventilating efficiency make the Rangaire 270 the finest range hood available. The canopy design and brushed chrome front panel, blend perfectly with all modern appliances. With the "Super Silent" 2-speed twin squirrel-cage exhaust unit, the 270 is truly for those who want the ultimate. Aluminum filter. Recessed light with glass cover. Push-button motor and light switches. Jeweled indicator light. Straight or 30-degree mitered corners. Standard or major appliance colors and stainless steel.



HVI CERTIFIED RATINGS: VERTICAL 250 CFM.
HORIZONTAL 250 CFM.

UL listed. Complies with FHA, VA and local ordinances.

SUPER SILENT CONTEMPORARY





RANGAIRE

KITCHEN RANGE HOODS

MODEL 420


The exclusive Rangaire Model 420 makes the Provincial or Early American kitchen complete, blending beautifully with your cabinets right down to the sculptured knobs, scallops and trim. With the Rangaire "Super Silent" 2-speed twin squirrel-cage exhaust unit, the 420 adds that final touch to the deluxe kitchen. Aluminum filter. Recessed light with glass cover. Antique sculptured control knobs for two-speed motor switch and on-off light switch. Standard or major appliance colors.




HVI CERTIFIED RATINGS: VERTICAL 250 CFM.
HORIZONTAL 250 CFM.

UL listed. Complies with FHA, VA and local ordinances.

SUPER SILENT PROVINCIAL




CONTEMPORARY ISLAND HOOD



MODEL 270 ISLAND

For the contemporary-styled kitchen that requires an island or peninsula range hood, the Model 270 "Appliance-Mate" is the perfect choice. Featuring the Rangaire 2-speed twin squirrel-cage "Super-Silent" exhaust unit, the Model 270 is the ultimate in an island range hood. Famous Rangaire quality features include aluminum filter, recessed light with glass cover, 2-speed motor and light switches and "on" indicator light. Standard or major appliance colors and stainless steel.



HVI CERTIFIED RATINGS: 250 CFM.


UL listed. Complies with FHA, VA and local ordinances.

KITCHEN - MATE ISLAND HOOD



MODEL 420 ISLAND

For the island or peninsula cabinet installation, Rangaire offers the 420 Kitchen-Mate range hood. This deluxe island hood features 2-speed twin squirrel-cage "Super Silent" exhaust unit. It will give your kitchen that "Custom" look without the high cost of a custom range hood. Aluminum filter. Recessed light with glass cover. Two-speed motor and light switches. Standard or major appliance colors.



HVI CERTIFIED RATINGS: 250 CFM.

UL listed. Complies with FHA, VA and local ordinances.




Rangaire Super-Silent Deluxe Range Hood

Rangaire kitchen range hoods are designed and manufactured with primary emphasis on quality. Each working component is "life tested," before being incorporated, to insure long trouble-free service, and all models are certified and tested for performance by the appropriate testing laboratory. Lustrous baked enamel and stainless steel finishes are easily wiped clean with a damp cloth. All filters are easily removed and permanent filters require only dip-wash cleaning. All Rangaire ventilating range hoods display the H. V. I. Label, indicating they have been tested by the Texas Engineering Experiment Station of Texas A & M College. Range hoods so tested are awarded Certified Air Delivery Ratings which are based upon minimum ventilation standards as established by the Home Ventilating Institute and in compliance with F. H. A. requirements. All units are tested at a static pressure point of .10 inches W. G.

WARRANTY


Rangaire range hoods are guaranteed to the original purchaser to be free from defects in material and workmanship for a period of one year from date of purchase. If under normal household use, a Rangaire range hood becomes inoperative, the defective part will be repaired or replaced free of charge.

Model 302



Refinements in styling from gracefully contoured debossed canopy to classic chrome framed front panel make the Rangaire Model 302 a vital part of any fine kitchen. Extremely quiet, this Rangaire range hood incorporates a large twin squirrel-cage exhaust unit. The two-speed motor requires no attention since it is permanently lubricated, thermally protected and totally enclosed. Other deluxe features include double glass-covered lights, rotary two-speed switch and indicator light that is on when exhaust unit is operating. The 302 exhausts either out the top or back and is available in 30" - 36" - 42" widths in white, coppertone, stainless steel and major appliance colors.

Dimensions:



Specifications:



HVI Certified Rating: Vertical 225 CFM,
Horizontal 225 CFM
UL listed
Motor: 117 Volt, 60 Cycle, 1550 RPM
Filter: Permanent type aluminum


RANGAIRE DELUXE RANGE HOODS FOR EYE-LEVEL RANGES

Rangaire kitchen range hoods are designed and manufactured with primary emphasis on quality. Each working component is "life tested," before being incorporated, to insure long trouble-free service, and all models are certified and tested for performance by the appropriate testing laboratory. Lustrous baked enamel and stainless steel finishes are easily wiped clean with a damp cloth. All filters are easily removed and permanent filters require only dip-wash cleaning. All Rangaire ventilating range hoods display the H. V. I. Label, indicating they have been tested by the Texas Engineering Experiment Station of Texas A & M College. Range hoods so tested are awarded Certified Air Delivery Ratings which are based upon minimum ventilation standards as established by the Home Ventilating Institute and in compliance with F. H. A. requirements. All units are tested at a static pressure point of .10 inches W. G.

WARRANTY


Rangaire range hoods are guaranteed to the original purchaser to be free from defects in material and workmanship for a period of one year from date of purchase. If under normal household use, a Rangaire range hood becomes inoperative, the defective part will be repaired or replaced free of charge.

DIMENSIONS



All Rangaire range hoods are UL listed


MODEL 740 VENTED SLIDE-OUT



Rangaire's Model 740 slide-out hood is designed to blend with the contemporary eye-level oven ranges. It fits quickly and neatly above the upper oven and exhausts out top or back. Twin squirrel-cage exhaust unit removes both oven and surface unit cooking odors, grease and vapors. Hood drawer slides-out easily and noiselessly on lifetime nylon rollers. When the hood drawer is open, the 2-speed motor turns on automatically, closed it shuts off. The Model 740 features Aluminum filter, chrome front trim, textured black front insert, and stainless steel side panels.

HV1 Certified Rating: Vertical 225 CFM
Horizontal 225 CFM

MODEL 743 DUCTLESS SLIDE-OUT




Unique design, quiet operation, and quick easy installation mark the Rangaire Model 743 slide-out ductless hood as perfect for installations where venting is impractical. Twin squirrel-cage exhaust unit draws air through a dual filter system to remove odors and grease. 2-Speed motor turns on automatically when the drawer is in the out position, off when closed. This Rangaire Model features Aluminum filter, activated charcoal filter, nylon slid-out rollers, chrome front trim, textured black front insert, and stainless steel side panels.

MODEL 120

The Rangaire Model 120 has all the features to help the builder and delight the homeowner... and at a low, low price. Smart style combined with a complete range of sizes and colors give you the flexibility you need to fit your kitchen design. Powerful efficient exhaust unit, permanent aluminum filter, recessed covered light, provide that extra selling appeal you need for discriminating home buyers. Available in 30", 36", 42" widths in white, coppertone, avocado and major appliance colors.

HVI CERTIFIED RATING: 200 CFM.



UL listed. Complies with FHA, VA and local ordinances.




SMART STYLING - LOW COST

RANGAIRE

**KITCHEN
RANGE
HOODS**

MODEL 123


The Rangaire Model 123 answers the need for a low cost no-vent range hood for project homes and economy apartments. The Model 123 installs in a few minutes, cutting installation cost to a minimum. Efficient fan unit, recessed covered light, push button switches, smart styling are unmatched by any low cost hood available. Activated charcoal filter and aluminum filter are designed to trap cooking odors and grease circulated through the unit. Available in 30", 36", 42" widths in white, coppertone, avocado and major appliance colors.



UL listed. Complies with FHA, VA and local ordinances.



REQUIRES NO VENTING




VENTS TOP OR BACK


MODEL 145

For complete flexibility and low cost in homes and apartments, the Rangaire Model 145 is the perfect answer for today's builder. The Model 145 exhausts out the top or through the back for installation ease, and cabinet space saving. Efficient Two Speed exhaust unit, recessed covered light, push button controls, smart styling helps sell homes and rent apartments. Available in 30", 36", 42" widths in white, coppertone, avocado and major appliance colors.

HVI CERTIFIED RATING: Vertical 140 CFM
Horizontal 140 CFM



UL listed. Complies with FHA, VA and local ordinances.




LOW COST - TWO SPEED

MODEL 130

Here is a low-cost range hood that features clean modern design and a two-speed exhaust unit. The Model 130 comes in Rangaire's full range of colors for a complete appliance matched kitchen. Permanent aluminum filter, recessed covered light, push button control are other deluxe features of this range hood. Available in 30", 36", 42" widths in white, coppertone, avocado and major appliance colors.

HVI CERTIFIED RATING: 250 CFM.



UL listed. Complies with FHA, VA and local ordinances.





RANGAIRE'S
New Space-Age
Radio Intercom Systems

Integrated Circuit Adds Brilliant New Performance To Solid • State AM • FM Radio • Intercom

Rangaire launches the biggest advance in radio-communication systems since the introduction of solid-state components. The same kind of circuitry used in space vehicles. This monolithic silicon integrated circuit replaces 10 transistors, 7 diodes and 11 resistors. Rangaire's sound system, therefore, gives you exciting new performance and wonderful reliability, impossible until now.

Rangaire Signal Sentry Provides Fire and Entry Warning For Your Home and Family

All Rangaire models are designed to accommodate fire sensing and entry detecting accessories. Signals are sounded throughout your home when the sensors are activated — different tones for fire and unauthorized entry.

Model 5600 Offers Unmatched AM-FM Radio Performance

Drift-Free Undistorted FM Radio Reception — Rangaire's automatic frequency control pin-points desired FM broadcast, locks it in tune automatically for perfect FM listening enjoyment.

Magic-Touch Tuning — Separate illuminated AM and FM tuning dials make it possible to switch back and forth from favorite AM and FM stations without having to "retune" station. Planetary drive makes pin-point tuning easy.

Full Fidelity Sound — Transformer-powered 10 watt tuner-amplifier plus 8-inch full fidelity room speakers and large 5x7 master station speaker bring you unusual brilliance of music and sound.

Complete Solid-State Components — Ten transistors, one silicon integrated circuit and six diodes provide unsurpassed reliability.

Latest Communication Innovations

Full Range Intercom — Unlimited communication from any room speaker to any other speaker, door, master, patio, etc.

Automatic Intercom Audibility Control — Exclusive Rangaire circuitry automatically mutes radio reception during all intercommunication. Conversation over intercom comes through clear and uninterrupted.

All-Room Door Answering System — Advanced circuitry enables full-time communication with the door speaker from any room speaker or master station. Unlike most radio-intercoms, your Rangaire system *does not* require a trip to the master unit to turn on the door speaker. Yet, the door speaker is off unless communication is initiated from inside the home, providing complete privacy. Person at the door does not have to operate any controls. Entire control is inside. These exclusive features make Rangaire the most versatile, useful and desirable radio-intercom systems available.

Large System Capacity — 11 individual stations, including master, eight room stations and two door stations may be used. Room stations may be turned on or off at the master, providing a completely selective system.

Internal Phono Jack — Easy attachment of unamplified record player gives you full radio-music-sound system.

Rangaire's Exciting New Radio Incorporates Astonishing Space-Age




This monolithic silicon integrated circuit replaces 10 transistors, 7 diodes and 11 resistors.

Radio-Intercom Technology



Model 5600 standard system



Includes: Master Unit, three Model 2610 8-inch full fidelity room speakers, door speaker plus wire and other installation materials necessary. Additional speakers for door, rooms or patio are available.



The Model 2320 weather-resistant patio speaker is available to match all Rangaire Radio-Intercom systems. They are designed so that no special hook-up is required. Order as optional item with any model Rangaire system.

Model 4600 Solid-State AM • FM Radio-Intercom



Solid-State Reliability — A total of 19 solid-state components provide high sensitivity for superior reception even in fringe areas.

Drift-Free FM Radio Reception — Automatic frequency control locks in desired FM broadcast.

Transformer Powered — Engineered to deliver superb performance on both AM and FM broadcasts. Five-watt power output.

Magic-Touch Tuning — Separate illuminated AM and FM tuning dials allow switching from favorite AM and FM stations without retuning. Planetary drive makes pin-point tuning easy.

Internal Phono Jack — Easy attachment of unamplified record player gives you full radio-music-sound system.

Full Range Intercom — Unlimited communication from room to room, master to rooms, etc.

Big System Capacity — 11 individual stations, including master, eight room stations and two door stations can be used.

All-Room Door Answering — Full-time communication with door speaker from any room speaker or master station. *Does not* require trip to master unit to turn on door speaker. Yet, door speaker is off unless communication is initiated from inside the home, providing complete privacy. It is not necessary to operate any controls at door speaker. Entire control is inside at room speakers.

Model 4600 Standard System Includes: Master unit, three Model 2410 room speakers, door speaker plus wire and other necessary installation materials. Additional door, room and patio speakers are available.

Model 3600 Solid-State AM Radio-Intercom



Solid-State Reliability — Solid-State components throughout provide necessary sensitivity for excellent reception even in fringe areas.

Transformer Powered — Engineered to provide very finest AM radio reception. Eliminates unnecessary noise in AM broadcasts.

Vernier Tuning — Quick precise turning with illuminated easy-to-read dial.

Internal Phono Jack — Easy attachment of unamplified record player for radio-music-sound system.



Large Capacity — 11 individual stations, including master, eight room stations and two door stations can be used.

Full Range Intercom — Unlimited communication from room to room, master to rooms, etc.

All-Room Door Answering — Full-time communication with door speaker from any room speaker or master station. *Does not* require trip to master unit to turn on door speaker. Yet, door speaker is off unless communication is initiated from inside the home, providing complete privacy. It is not necessary to operate any controls at door speaker. Entire control is inside at room speaker. **Model 3600 Standard System Includes:** Master Unit, three Model 2310 room speakers, door speaker plus wire and other necessary installation materials. Additional door, room and patio speakers are available.

Speakers



- 1 MODEL 1670 DOOR SPEAKER
- 2 MODEL 2410 SPEAKER
- 3 MODEL 2310 SPEAKER



Data

Installation is A Masterpiece in Simplicity

—Master units on all Rangaire Radio-Intercom systems plug into single terminal connector making it quick and easy to install or remove the master unit. All wires from room stations and door are connected to terminal connector at the time of installation. They never need be touched again.



Data

MODEL 5600 SPECIFICATIONS

Standard System: 1 master station, 3 room stations, 1 door station, plus complete rough-in materials.

Maximum Station Capacity: 11 stations including master.

Maximum Audio Output: 10 watts.

Radio: FM range — 88-108 Mhz. — uses new silicon integrated circuit. AM range — 540 to 1650 KHz.

Intercom: All solid state with adjustable sensitivity. Radio automatically silences when intercom is being used.

Phono-Input Terminal: On chassis. High impedance .5 volts input.

Power Requirements: 117 volts, 50-60 cycle, AC, 6 watts, power transformer operated.

17 Solid State Devices: 10 transistors, 1 silicon integrated circuit, 6 diodes.

Controls: Illuminated tuning dials, On-Off and volume, Rangimatic function selector, FM-AM switch, tone control, master speaker loudness control, room station selector switches, FM tuning, AM tuning, Door Answering, Afc.

Speakers: Hi-Fi type coaxial cone speaker on attractive metal panel with wood trim. Door answering switch is standard equipment.

UL Listed

MODEL 4600 SPECIFICATIONS

Standard System: 1 master station, 3 room stations, 1 door station, plus complete rough-in materials.

Maximum Station Capacity: 11 stations including master.

Maximum Audio Output: 5 watts.

FM-AM Radio: FM tuning range — 88-108 Mhz. AM tuning range — 540 to 1650 KHz. 6 to 1 reduction ratio on illuminated tuning dials for easy, precise tuning.

Intercom: All solid state.

Phono Input Receptacle: Located on chassis accommodates standard phono plug and requires a signal level of .5 volts. Phono operation selected by Rangimatic selector.

Power Requirements: 117 volts, AC, 5 watts.

Solid State Circuitry: 19 Solid State Devices.

Controls: Off-On volume, Rangimatic Function Selector, Master Speaker Volume, Tone, FM-AM Radio, 8 Remote Station Switches, Afc, AM tuning, FM tuning.

MODEL 3600 SPECIFICATIONS

Standard System: 1 master station, 3 room stations, 1 door station, plus complete rough-in materials.

Maximum Remote Station Capacity: 11 stations including master.

Maximum Audio Output: 5 watts.

AM Radio: Tuning range — 540 to 1650 KHz. 6 to 1 reduction ratio on illuminated tuning dial for easy, precise tuning.

Intercom: Useful intercom volume is available even at low music level settings of the volume control through exclusive solid state circuits.

Phono Input Receptacle: Located on chassis for plugging in a standard phono with a signal output of .5 volts. Phono operation selected by Rangimatic selector.

Power Requirements: 117 volts, AC, 5 watts.

Solid State Circuitry: 8 Solid State Devices.

Controls: Off-On volume, Rangimatic Function Selector, Master Speaker Volume, Tone, 8 Remote Station Switches.

Rangaire introduces an advanced electrical-electronic Alarm Control Center that is designed to initiate loud warning signals when fire sensors or entry switches are activated. The Alarm Control Center can be installed inexpensively, utilizing a Rangaire radio-intercom system to emit separate and distinct signals for fire or entry, or as control center for warning bells or horns inside and outside the residence.

Alarm Control Center operates either with Rangaire radio-intercom or individual bells or horn. Installed in master bedroom or other desired location.

Smoke and Heat Detectors sound loud alarm horn when dangerous concentration of smoke is present or heat exceeds 135 degrees. Installed in halls, bedrooms or other strategic locations.

Door and Window Switches cause alarm to sound when doors or windows are opened while entry circuit is set 'active' of the Control Center.

Alert Buttons can be located in bedroom and at doors to manually operate fire or entry alarms at the touch of the button.

Heat sensors, located throughout the home, cause alarm to sound when heat exceeds pre-determined degree.

Entry Delay allows owner to enter or leave while alarm control is set in the active position.



RANGAIRE

Burglar and Fire Alarm System For Homes and Apartments


2730 Alarm Control Center

Rangaire advanced engineering blends electrical and electronic components to provide a functional easy-to-operate control center that provides power and selective use of fire and entry alarm circuits. It sends distinct signals to a Rangaire radio-intercom system in case of fire or entry or will power external and internal alarm bells or horns. Indicator lights on Control Center designate circuits which are active. Test and reset switches allow testing of each circuit each time control is set.




2702 and 2728 Door and Window Switches

Designed for maximum protection, the 2728 Magnetic Door and Window Switch is easily installed on all types of doors and windows and provides instant alarm against unauthorized opening of doors or windows. The 2702 Door and Window Switch is a plunger type switch and can be used on wooden doors or windows mounted in the jamb.



2701 and 2714 Heat Sensors

These sensitive sensors immediately warn of the danger of fire when heat reaches predetermined degrees. The 2701 Heat Sensor, used in desired rooms in the home, activates the Rangaire alarm system when heat goes above 135 degrees. The 2714 Heat Sensor, for use in attic, heater closets, etc., detects heat in excess of 200 degrees.



2736 Smoke and Heat Detector

This unit provides vital protection for every home or apartment. It is designed to detect smoke and sounds alarm horn before dangerous concentration causes suffocation. Also warns of fire by detecting heat above 135 degrees.

Can be used as an independent unit by plugging into 115 volt outlet, or as smoke and fire sensor in a total Rangaire burglar and fire alarm system.

ALARM BELLS AND HORNS

2733 Six Inch Bell—A loud sounding bell used outside for fire alarm.

2734 Three-Inch Bell—Designed for use inside the home when Rangaire radio-intercom is not used for alarm signals.

2737 Horn—Used outside to sound loud entry or fire alarm. This unit is especially useful for homes located in isolated areas. Loud signal is designed to arouse neighbors and frighten intruders.

2703 Alert Button

These buttons, installed at various locations, front and back entrance, master bedroom, etc., allows homeowner to set off outdoor alarm in case intruder is attempting to force entry. A touch of the button activates alarm.

ENTRY AND EXIT DELAY SYSTEM

2735 Entry Delay—This Rangaire unit allows homeowner to leave and re-enter while the entry alarm is set in the "active" position.

2731 Key Shunt Switch—Mounted on the entrance door, and connected to the 2735 Entry Delay, this switch allows the homeowner to enter without setting off alarms.

2732 Door Cord—Used with 2731 Key Shunt switch.

2726 Push Button Switch—This switch is designed for mounting inside entrance doors. Connected to the 2735 Entry Delay it allows homeowner to leave without setting off alarms.


2736 Smoke and Heat Detector

2737 Horn

2735 Entry Delay

2733 Bell 2734 Bell

2703 Alert Button





Tangerine Red Shown

RANGAIRE fire-glo electric fireplace

beautifully decorative
safe comfortable heat

Installation is simplified by use of a small mounting bracket which attaches to any wall. Your Rangaire fireplace then plugs into any 115-volt room outlet. The real silver birch logs glow so realistically that they appear to be actually burning, giving any room new inviting appeal. A 1500-watt thermostatically controlled forced-air heater mounted inside the Rangaire fireplace provides pleasant problem-free heat. You may operate heater and logs independent of each other. UL listed. Operates from any 115 volt, 15 amp, 60 cycle outlet.




Gold



Provincial White

**FOUR
DECORATOR
COLORS
TO CHOOSE
FROM**

- Tangerine Red
- Gold
- Provincial White
- Black



ROBERTS - COBELL DIVISION P. O. Box 177, Cleburne, Texas 76031



**RANGAIRE
CORPORATION**

**comfort and
convenience
for homes
and apartments**



RANGAIRE

**KITCHEN & BATHROOM VENTILATING EXHAUST UNITS.
CEILING MOUNTED ELECTRIC HEATERS**

MODEL 1215

Heater - Exhaust - Light

Rangaire presents the ultimate in economy with the Model 1215 triple function heater exhaust light. Maximum efficiency is produced with a 1300 watt, 4500 BTU nichrome heater element, large two-speed squirrel-cage exhaust and 100 watt drop lens light fixture. This attractive deluxe unit is shipped ready to install, complete with push button control switch that includes wall plate and heater indicator light. Two-speed blower runs low for heater only, high for exhaust function. Exhaust unit, light and heater may be operated independently. UL listed.

DIMENSIONS: External - 15" dia. 4½" deep
Recessed - 8½" wide 7½" long 3⅞" deep

HVI CERTIFIED SPECIFICATIONS: Bath 55 sq. ft. Other 75 sq. ft.



MODEL 1213

Surface Mounted Heater - Light

This Rangaire heater light combination is unsurpassed for easy installation and economy. It mounts simply and quickly to any standard ceiling electrical outlet. Fast heating 1000 watt, 3400 BTU nichrome heating element provides safe comfortable radiant heat. With attractive heater grille and 100 watt drop lens light fixture, this Rangaire combination unit is perfect for homes, apartments or motels. Canopy is fan cooled. UL listed.

DIMENSIONS: 12½" Dia. 7⅞" Deep.



MODEL 1214

Exhaust Fan - Heater Combination

For the bathroom that requires auxiliary heat and ventilation, Rangaire's Model 1214 provides economy plus deluxe efficiency. Quick heating 1200 watt, 4080 BTU nichrome heating element is combined with a two-speed quiet operating squirrel-cage exhaust unit. This heater-exhaust unit is shipped with push button switch that includes indicator light and wall plate. Switch allows individual use or combined operation of exhaust and heater. Extra push button can be used for ceiling or cabinet light. UL listed.

DIMENSIONS: External - 15" dia. 3½" deep
Recessed - 8½" wide 7½" long 3⅞" deep

HVI CERTIFIED SPECIFICATIONS: Bath 55 sq. ft. Other 75 sq. ft.




MODEL 1212

Forced Air Radiant Heater

Perfect for today's modern bathrooms is Rangaire's 1212 slimline ceiling heater. Long lasting 1200 watt, 4080 BTU nichrome heating element and quiet fan provide instant combination radiant and forced air heat. Fitting snugly to the ceiling, this slimline heater extends only 3½-inches from base to grille. Triple-plated chrome reflector, chrome base and anodized aluminum grille will not rust or tarnish. Installation is simplified through use of keyhole slots that allow mounting to standard outlet box or plaster ring. UL listed.

DIMENSIONS: 15" dia. 3½" deep



MODEL 1205

Surface Mounted Radiant Heater

The Rangaire Model 1205 surface mount ceiling bathroom heater, with 1000 watt, 3400 BTU nichrome element is the perfect answer for economical auxiliary heat in today's modern bathroom. The triple-tier design of this radiant unit provides the greatest possible reflected heat and does not transmit undesired heat to the mounting base. Attractive chrome grille adds a distinctive touch to this heater. Heater comes pre-assembled ready for installation to standard outlet box. UL listed.

DIMENSIONS: 12⅞" Dia. 6" Deep.



MODEL 110

Kitchen Exhaust Unit

Designed for efficient cushion-quiet kitchen ventilation, the Rangaire Model 110 exhaust unit installs neatly and compactly under the cabinet over the range. This Rangaire model features powerful 5½-inch squirrel-cage blower, built-in backdraft damper and recessed glass-covered light. Aluminum filter and filter grille are easily removed for cleaning. Available in white, coppertone and silvertone baked enamel finish and in major appliance colors. UL listed.


HVI CERTIFIED SPECIFICATIONS: Kitchen 100 sq. ft.
Bath 185 sq. ft. Other 250 sq. ft.



MODEL 1310 and MODEL 1311 Ceiling or Wall Exhaust Units

For deluxe or economy bathroom ventilation, Rangaire features these two compact attractive exhaust units. Bath models can be installed either in wall or ceiling quickly and easily by nailing attached mounting bracket to ceiling joist or wall stud. The deluxe Model 1311 features extra quiet squirrel-cage blower, enclosed motor and sparkling chrome grille. The 1310 utilizes a pressure-blade blower and has anodized aluminum grille. Built-in damper in 3" discharge on bath models eliminates the need of costly added accessories. UL listed.


Model 1310 — HVI CERTIFIED SPECIFICATIONS: Bath 45 sq. ft.
Other 60 sq. ft.
Model 1311 — HVI CERTIFIED SPECIFICATIONS: Bath 65 sq. ft.
Other 90 sq. ft.



MODEL 1312 Utility Exhaust Fan


Rangaire's Model 1312 exhaust fan provides quiet efficient ventilation for kitchens, bathrooms and other residential areas where ceiling mounting is desired. Installation is simplified by use of hanger bars which attach quickly to ceiling joists and adjustable brackets that allow unit to be raised or lowered to surface of finished ceiling. Attractive triple-plated chrome grille attaches simply with finger tightened knob. Resilient motor mounts are designed for quiet vibration-free operation. UL listed.

HVI CERTIFIED SPECIFICATIONS: Kitchen 70 sq. ft.
Bath 130 sq. ft. Other 175 sq. ft.



Deluxe Super Silent Disposer Model PL-45

Model PL-45 features include: continuous feed, stainless steel 360° swiveling impellers, stainless steel turntable and shredder ring, snap-on mounting, 1/2 h. p. reversing motor, removable rubber splash guard, full sound jacket, chrome stopper, stainless steel sink flange, dishwasher inlet tap, flanged waste elbow, sound-proofing rubber mounting gaskets, lifetime lubricated end bell and thrust bearings.



SPECIFICATIONS — MODEL PL-45


Height	12 3/4"
Diameter	8 1/2"
Min. Rough-in	6 1/2"
Mounting Assembly	Quick mount, silent snap on
Motor H. P.	1/2 Reversing
Motor Speed	1725
Motor Voltage	115V./60 Cycle
Motor Current	7.8 Amps
Bearings	Permanently lubricated
Finish	Comeo White Polystyrene
Sound Absorber	Fibrous glass
Combination Starting relay & overload	Feather touch 2 Oz.
	Manual reset protector
Net weight	20 lbs.
Shipping weight	21 lbs.

RANGAIRE

DISPOSERS

Rangaire Custom Disposer Model PL-44

Model PL-44 features: stainless steel action with 360° swivel impellers and stainless shredder ring, full 1/2 h. p. motor for extra power, fast efficient grinding and maximum trouble free service. Insulated cover cuts noise to a minimum.




SPECIFICATIONS — MODEL PL-44

Height	12 3/4"
Diameter	8 1/2"
Min. Rough-in	6 1/2"
Mounting Assembly	Tri-stud-instant aligning
Motor H. P.	1/2
Motor Speed	1725
Motor Voltage	115V./60 Cycle
Motor Current	7.8 Amps
Bearings	Permanently lubricated
Finish	Comeo White Polystyrene
Sound Absorber	Fibrous glass
Combination Starting relay & overload	Feather touch 2 Oz.
	Manual reset protector
Net weight	19 lbs.
Shipping weight	20 lbs.

Rangaire Economy Disposer Model PL-43

Model PL-43 features: 90° stainless steel swivel impellers for fast, jam free performance. 1/3 h. p. motor for fast grinding action, chrome two-position sink stopper.



All Units Are UL listed.

SPECIFICATIONS — MODEL PL-43

Height	12 3/4"
Diameter	6 3/4"
Min. Rough-in	6 1/2"
Mounting Assembly	Tri-stud-instant aligning
Motor H. P.	1/3
Motor Speed	1725
Motor Voltage	115V./60 Cycle
Motor Current	5.4 Amps.
Bearings	Permanently lubricated
Finish	Desert Beige Enamel
Combination Starting relay & overload	Feather touch 2 Oz.
	Manual reset protector
Net weight	16 lbs.
Shipping weight	17 lbs.



UCL SERIES UNDER CABINET LIGHT



The Rangaire UCL light is designed for use under kitchen cabinets to provide additional counter surface light, under book shelves and other places where a very thin fixture is required to illuminate dark areas. The UCL is supplied with convenience outlet and easy-to-reach pushbutton switch. Ribbed translucent plastic diffuser provides pleasing soft illumination. For ease of cleaning and lamp replacement, the diffuser snaps out with finger pressure.



Rangaire Bathroom and Kitchen Lights


CRP SERIES BATHROOM- DRESSING ROOM LIGHT

This versatile fixture is perfect for use in the bathroom as a shaving light or as a dressing table light. It can be mounted above or at the sides of the mirror and is finished in chrome to blend with the decor of modern bathrooms. The unit comes with convenience outlet and push-button switch. The ribbed plastic diffuser is easily removed for lamp replacement.



CRPV SERIES BATHROOM OVER MIRROR LIGHT

This beautifully finished fixture is designed for the modern bathroom where high intensity illumination is desired. It is ideal for wall mounting above the mirror for a shaving light or as a dressing table light. The CRPV is supplied with convenience outlet and push-button switch. The unit is finished in mirror chrome and comes with snap-out translucent diffuser for easy cleaning and lamp replacement.



RANGAIRE CORPORATION • ROBERTS MANUFACTURING DIVISION







Cleburne, Texas






RANGAIRE

PRICE LIST


RANGE HOODS • FIREPLACES • DISPOSERS

MODEL	PACKAGE NO.	DESCRIPTION	SIZE & WEIGHT	LIST PRICE	DEALER PRICE
MODEL 302 30" 36" 42" Standard Widths 	302	Package includes hood with twin speed twin blower and damper assembly. Other accessories such as backsplash, pipe, etc. are listed under Hood Accessories in this price list.	30" 36" 42" 34 35 37	93.50	62.30
	302-SS	Same package as above in stainless steel.	30" 36" 42" 34 35 37	122.10	81.40
MODEL 270 30" 36" 42" Standard Widths 	270	Complete package, including hood with twin blower, backsplash, backsplash trim, 3 1/4 x 10 x 30 inch duct and damper. Baked enamel colors.	30" 36" 42" 42 44 46	90.10	60.05
	270-SS	Complete package in stainless steel.	30" 36" 42" 42 44 46	140.30	93.50
	271	Same as 270 package less backsplash and backsplash trim. Baked enamel colors.	30" 36" 42" 37 37 39	86.70	57.80
	271-SS	Same package as above in stainless steel	30" 36" 42" 37 37 39	113.80	75.85
	272	Same as 270 package less backsplash and backsplash trim and duct. Baked enamel colors.	30" 36" 42" 33 35 37	84.00	56.00
	272-SS	Same package as above in stainless steel	30" 36" 42" 33 35 37	111.00	74.00
MODEL 270 ISLAND 30" 36" 42" Standard Widths 	270 Island	Complete Island hood package including hood with twin blower, 3 1/4 x 10 x 30 inch duct and damper. Baked enamel colors.	30" 36" 42" 45 47 49	112.10	74.70
	270-SS Island	Same package as above in stainless steel.	30" 36" 42" 45 47 49	171.20	114.10
MODEL 623 30" 36" 42" Standard Widths 	623	Complete package, including hood, twin squirrel cage blower, smoke, charcoal, and grease filter. Baked enamel colors. (MITERED CORNERS ONLY)	30" 36" 42" 39 50 55	94.70	63.10
	623-SS	Same package as above in stainless steel. (MITERED CORNERS ONLY)	30" 36" 42" 39 50 55	121.20	80.80
MODEL 420 30" 36" 42" Standard Widths ONLY 	420	Complete package, including hood with twin blower, backsplash, backsplash trim, 3 1/4 x 10 x 30 inch duct and damper. Baked enamel colors.	30" 36" 42" 43 45 49	99.10	66.05
	421	Same as 420 package less backsplash and backsplash trim. Baked enamel colors.	30" 36" 42" 39 41 43	95.80	63.85
	421-E	Same package as above in etched copper. (Not available with backsplash in carton.)	30" 36" 42" 39 41 43	112.90	75.25
	422	Same as 420 package less backsplash, backsplash trim and duct. Baked enamel colors.	30" 36" 42" 34 36 38	93.00	62.00
	422-E	Same package as above in etched copper.	30" 36" 42" 34 36 38	110.10	73.40
MODEL 420 ISLAND 30" 36" 42" Standard Widths 	420 Island	Complete Island hood package, including hood with twin blower, 3 1/4 x 10 x 30 inch duct and damper. Baked enamel colors.	30" 36" 42" 50 52 54	123.40	82.25

MODEL	PACKAGE NO.	DESCRIPTION	SIZE & WEIGHT			LIST PRICE	DEALER PRICE
MODEL 223 Standard Widths 30" 36" 42" 	223	Complete package, including hood with 9-inch mixed-fla fan, charcoal and grease filter. Baked enamel calars. (MITERED CORNERS ONLY)	30"	36"	42"	66.00	44.00
	223-55	Same package as above in stainless steel. (MITERED CORNERS ONLY)	30"	36"	42"	83.70	55.80
MODEL 220 Standard Widths 30" 36" 42" 	220	Complete package, including hood with 9-inch Ventura-fla, backsplash ,backsplash trim, 3 1/4 x 10 x 30 inch duct and damper. Baked enomel calars.	30"	36"	42"	61.10	40.70
	220-55	Complete package in stainless steel.	30"	36"	42"	105.20	70.10
	221	Same as 220 package less backsplash and back-splash trim in Baked enamel calars.	30"	36"	42"	57.80	38.50
	221-55	Same package as obove in stainless steel.	30"	36"	42"	78.80	52.50
	222	Same as 220 package less backsplash, backsplash trim and vent pipe. Baked enamel calars.	30"	36"	42"	55.00	36.65
	222-55	Same Package as above in stainless steel.	30"	36"	42"	76.00	50.65
MODEL 740 Standard Widths 30" 	740	Roll-Out Vented hood for eye-level rones 30-inches wide in stainless steel only.	25			73.00	48.65
	743	Roll-Out Non-Vented hood far eye-level ranges 30-inches wide in stainless steel only.	30			96.20	64.10

STANDARD FINISHES: White, Shaded Cappertone, Avacado and Harvest Gald

FIREPLACES



Model 81
Fireplace

Complete with heat thermostat, simulated fire lag, brass coated screen, 1500 watt heating element with circulating fan. Overall size 45 1/2" x 27 1/4" x 15 1/8". Available in Antique White, Gold, Black and Red. Each calar is in wrinkle finish.

63 149.90 99.90

DISPOSERS








PL-45 DELUXE SUPER SILENT 1/2 H. P. REVERSIBLE MOTOR 23 81.60 54.40



PL-44 CUSTOM DISPOSER 1/2 H. P. 21 60.90 40.60



PL-43 ECONOMY DISPOSER 1/3 H. P. 17 47.80 31.85

MODEL	PACKAGE NO.	DESCRIPTION	SIZE & WEIGHT	LIST PRICE	DEALER PRICE
CUSTOM HOODS					
IMPERIAL					
 <p>Base Size 48" x 28" x 15" High</p>		As shown with double squirrel-cage blower, aluminum foil filter, and recessed light. Package includes damper assembly. Concave is 8" on each side.		185.10	123.35
		Same as above in major appliance color.		189.50	126.30
		Same as above in Stainless Steel.		296.20	197.40
CONTEMPO					
 <p>Base Size of Hood Unit 48" x 26" x 7" High Sleeve can vary</p>		As shown with double squirrel-cage blower, aluminum foil filter, and recessed light. Package includes damper assembly.		159.20	106.10
		Same as above in major appliance color.		163.60	109.05
		Same as above in Stainless Steel.		284.30	189.50
WALLMOUNT					
 <p>Base Size 42" x 20 1/16" x 36" High</p>		As shown with double squirrel-cage blower, aluminum foil filter, and recessed light. Package includes damper assembly.		150.40	100.25
		Same as above in major appliance color.		154.80	103.15
		Same as above in Stainless Steel.		104.40	136.25
IMPERIAL EXTENSION					
 <p>Base Size 20 1/4" x 12 3/4" x 30" High</p>		For use with Imperial as well as 270 Island and 420 Island.		42.00	28.00
		Same as above in major appliance color.		46.20	30.80
		Same as above in Stainless Steel.		84.00	56.00
WALLMOUNT EXTENSION					
 <p>Base Size 42" x 11 1/2" x 28 1/2" High</p>		For use with Wallmount. Can be used over any under-cabinet model.		73.50	49.00
		Same as above in major appliance color.		77.70	52.00
		Same as above in Stainless Steel.		105.00	70.00

*Maximum hood size: 84" long, 30" wide and 48" high.

STANDARD SIZES: 30", 36", 42" and 48" Custom hoods. (Sizes shown are bottom measurements.)

HOW TO ORDER A CUSTOM HOOD

A detailed drawing must be furnished with each order. The drawing should show all required measurements for length, depth and height.

PACKAGE NO.	DESCRIPTION	SIZE & WEIGHT	LIST PRICE	DEALER PRICE
----------------	-------------	------------------	---------------	-----------------

HOOD ACCESSORIES

315	Backsplash up to 48" wide by 24" high (Specify width) Enamel finishes	9	6.50	4.35
315-BP	Backsplash up to 48" wide by 24" high (Specify width) Enamel. (10 to carton)	87	4.20	2.80
315-SS	Up to 48" wide by 24" high (Specify width) SS	10	25.40	16.95
316	Backsplash trim strips (Specify finish)	1	2.10	1.40
316-BP	Backsplash trim strips (Specify finish) (10 to carton)	11	1.10	.75
317	7" Diameter round pipe 30" long (Specify Finish)	5	3.70	2.45
317-BP	7" Diameter round pipe 30" long (Specify Finish) Bulk packed (10 to carton)	56	2.10	1.40
318	7" Round adjustable elbow, Galvanized	2	3.40	2.25
319	Roof Vent	5	8.90	5.95
320	3 1/4" x 10" Elbow	2	3.50	2.35
321	3 1/4" x 10" Duct, 30" long (Specify Finish)	5	5.30	3.55
321-BP	3 1/4" x 10" Duct, 30" long, Bulk packed (Specify Finish) (10 to carton)	56	3.50	2.35
322	Eave Cap to terminate 3 1/4" x 10" Duct	4	6.20	4.15
323	Wall Cap to terminate 7" Round		8.90	5.95
324-F	Flush Wall Cap to terminate 3 1/4" x 10" Duct	4	6.20	4.15
324	Wall Cap to terminate 3 1/4" x 10" Duct	3	5.80	3.85
325	3 1/4" x 10" to 7" Round Transition	3	3.70	2.45
326	3 1/4" x 10" Flat Elbow	4	4.20	2.80
327	Elbow Transition 7" Round to 3 1/4" x 10"	4	4.20	2.80
328	7" Round Callar (Specify Finish)	1	.60	.40
329	Damper Section for 7" pipe (Specify Finish)	5	2.50	1.65
329-BP	Damper Section for 7" pipe, Bulk packed (Specify Finish) (10 to carton)	56	1.60	1.05
SPECIAL SIZE RANGE HOODS				
Less than 42"	Service charge			6.65
More than 42"	Enamel finish, service charge per inch more than 42"			2.65
minimum charge \$3.00	Stainless steel, service charge per inch more than 42"			4.00

MITERED CORNERS

The models 223 and 623 are available in mitered corners only.
The models 270 and 220 are available in either mitered corners or straight sides.
The models 420 and 302 are available in straight sides only.



RANGAIRE CORPORATION
ROBERTS-COBELL DIVISION

Supplementary Price Sheet on Builder Models

Effective April 1, 1969

		<u>List</u>	<u>Dealer 1-5</u>	<u>Dealer 6 or More</u>
120		30"	29.90	18.70
		36"	30.90	19.30
		42"	31.90	19.95
120	Stainless	30"	47.80	29.90
		36"	48.80	30.50
		42"	49.80	31.20
123		30"	37.90	23.70
		36"	38.90	24.30
		42"	39.90	24.95
123	Stainless	30"	60.40	37.75
		36"	62.50	39.05
		42"	64.60	40.40
130		30"	31.90	19.95
		36"	32.90	20.55
		42"	33.90	21.20
130	Stainless	30"	49.30	30.80
		36"	50.30	31.45
		42"	51.40	32.15
145		30"	33.90	21.20
		36"	34.90	21.80
		42"	35.90	22.45
145	Stainless	30"	54.10	33.80
		36"	56.20	35.15
		42"	58.30	36.45

-- 7" Round pipe is available bulk packed, 10 sections to a carton @ \$1.40 per section. (see accessory 317-BP).

-- 3 $\frac{1}{4}$ " X 10" Rectangular pipe is available bulk packed, 10 sections to a carton @ \$2.35 per section (see accessory 321-BP).

-- Backsplashes are available bulk packed, 10 to a carton @ \$2.80 each. (see accessory 315-BP).

-- 7" Round Damper is available bulk packed, 10 to a carton @ \$1.05 each. (see accessory 329-BP)

NOTE: All of the above may be included with other Rangaire products to qualify for Prepaid freight.

Terms: 2% 10th Prox.

RANGAIRE






Bar-B-Que Hoods

TERMS—2%, 10th Prox.

EFFECTIVE MAY 1, 1968

PRICE LIST

Freight charges are prepaid on orders of 200 pounds or more from the factory by the cheapest method of transportation.

	MODEL NO.	DESCRIPTION	LIST	DEALER
Nat Illustrated	508	Damper Assembly: A 10" round gravity type damper section, an essential part of a good installation.	8.00	6.00
Nat Illustrated	509	Transistion Assembly: A REQUIRED part for use with Na. 510 power unit.	10.00	6.67
	510	Power Unit: Far use with canopies listed below. Includes housing assembly, matar, blowers, filters and complete switch assembly. REQUIRES No. 509 transition assembly listed above.	157.90	105.25
EACH CANOPY STYLE LISTED BELOW REQUIRES THE ABOVE LISTED POWER UNIT.				
30"—36"—42"—48"		30" Enamel	70.00	46.65
Flat on Ends & Back Concave Front		30" Stainless Steel	110.00	73.30
		36" Enamel	74.00	49.30
		36" Stainless Steel	116.00	77.30
		42" Enamel	78.00	52.00
		42" Stainless Steel	122.00	81.30
		48" Enamel	83.00	55.30
		48" Stainless Steel	128.00	85.30
30"—36"—42"—48"		30" Enamel	100.00	66.65
Flat on Ends Concave Front & Back		30" Stainless Steel	150.00	100.00
		36" Enamel	105.00	70.00
		36" Stainless Steel	162.00	107.95
		42" Enamel	110.00	73.30
		42" Stainless Steel	174.00	115.95
		48" Enamel	115.00	76.65
		48" Stainless Steel	186.00	123.95
30"—36"—42"—48"		30" Enamel	118.00	78.65
Flat on Right or Left End. Advise. Concave on Front, Back and one End.		30" Stainless Steel	190.00	126.65
		36" Enamel	126.00	84.00
		36" Stainless Steel	202.00	134.65
		42" Enamel	134.00	89.30
		42" Stainless Steel	214.00	142.65
		48" Enamel	142.00	94.65
		48" Stainless Steel	226.00	150.65
30"—36"—42"—48"		30" Enamel	146.00	97.30
Concave on All Four Sides		30" Stainless Steel	224.00	149.30
		36" Enamel	155.00	103.30
		36" Stainless Steel	236.00	157.30
		42" Enamel	164.00	109.30
		42" Stainless Steel	248.00	165.30
		48" Enamel	173.00	115.30
		48" Stainless Steel	260.00	173.30

RANGAIRE

Effective August 15, 1969

RADIO - INTERCOM SYSTEM Price List

STOCK NUMBER	DESCRIPTION	APPROX. WT.	LIST PRICE	DEALER
MODEL 5600 SERIES				
	FM-AM SOLID STATE STANDARD SYSTEM: Three carton consisting of one 5602 INSTALLATION KIT, one 5604 MASTER STATION, and one 5605 SPEAKER KIT. Please order by stock numbers as listed in left column for convenience of your receiving department.	27	259.90	173.35
5602	INSTALLATION KIT: One carton containing master can, three 2602 8" speaker rings, one 1652 door speaker box, one 2711 150 feet four-conductor cable, one 2717 antenna for FM and AM, one 2712 50 feet two conductor cable, and installation instructions.	6 1/2	22.00	14.65
5604	MASTER STATION: One carton containing master station, terminal board and switch assembly, one pair of side mounting brackets, mounting screws, and installation instructions.	11	167.90	112.00
5605	SPEAKER KIT: One carton containing three 2610 room speakers, one 1670 door speaker, and mounting screws.	9 1/2	70.00	46.70
MODEL 4600 SERIES				
	FM-AM SOLID STATE STANDARD SYSTEM: Three cartons consisting of one 4602 INSTALLATION KIT, one 4604 MASTER STATION, and one 4605 SPEAKER KIT. Please order by stock numbers as listed in left column for convenience of your receiving department.	23	191.90	128.00
4602	INSTALLATION KIT: One carton containing master can, three 2402 4" speaker rings, one 1652 door speaker box, one 2711 150 feet four-conductor cable, one 2712 50 feet two-conductor brown cable, one 2713 25 feet two-conductor orange cable, low voltage transformer, one 2717 antenna for both AM and FM, two wire nuts, and installation instructions.	7 3/4	26.00	17.35
4604	MASTER STATION: One carton containing master station, terminal board and switch assembly, pair of side mounting brackets, mounting screws, and installation instructions.	10	121.90	81.30
4605	SPEAKER KIT: One carton containing three 2410 room speakers, one 1670 door speaker, and mounting screws.	5	44.00	29.35
MODEL 3600 SERIES				
	AM SOLID STATE STANDARD SYSTEM: Three cartons consisting of one 3602 INSTALLATION KIT, one 3604 MASTER STATION and one 3605 SPEAKER KIT. Please order by stock numbers as listed in left column for convenience of your receiving department.	22	129.90	86.65
3602	INSTALLATION KIT: One carton containing master can, three 2402 4" speaker rings, one 1652 door speaker box, one 2711 150 feet four-conductor cable, one 2712 feet two-conductor brown cable, one 2713 25 feet two-conductor orange cable, low voltage transformer, 25 feet blue wire for AM antenna, two wire nuts, and installation instructions.	7 3/4	25.00	16.70
3604	MASTER STATION: One carton containing master station, terminal board switch assembly, pair of side mounting brackets, mounting screws, and installation instructions.	9	70.50	47.00
3605	SPEAKER KIT: One carton containing three 2310 room speakers, one 1670 door speaker, and mounting screws.	5	34.40	22.95

RADIO - INTERCOM ACCESSORIES

STOCK NUMBER	DESCRIPTION	APPROX. WT.	LIST PRICE	DEALER
EXTRA SPEAKERS				
2610	ROOM SPEAKER: 8" Hi-Fi speaker mounted to contemporary baffle of stainless steel and walnut with volume control and room and door talk-listen switches, and mounting screws. This speaker has special muting circuit especially for the 5600 series, but may be used on 4600 and 3600 series.	3	22.00	14.65
2410	ROOM SPEAKER: 4" speaker mounted to black and walnut baffle with volume control and room and door talk-listen switches, and mounting screws. For use with 4600 and 3600 series only.	1 1/2	13.70	9.15
2310	ROOM SPEAKER: 4" speaker mounted to colonial white baffle with volume control, room and door talk-listen switches, and mounting screws. For use with 4600 and 3600 series only.	1 1/2	9.90	6.60
2320	PATIO SPEAKER: Special weatherproof 4" speaker mounted to colonial white baffle with volume control and talk-listen switches. Requires 2303 stainless steel back can and special four-conductor cable to be ordered separately. For use with 5600, 4600, and 3600 series.	1 1/2	13.00	8.65
1670	DOOR SPEAKER: 3" speaker mounted anodized gold panel with grill and screws.	1	7.50	4.35
MASTER CAN & PLASTER RINGS				
5604-2	MASTER ROUGH-IN CAN FOR 5604: With AM-FM antenna.	3 1/2	6.00	4.00
4604-2	MASTER ROUGH-IN CAN FOR 4604: With AM-FM antenna, 25' orange two-conductor cable and low voltage transformer.	4 1/2	9.00	6.00
3604-2	MASTER ROUGH-IN CAN FOR 3604: With AM antenna, 25' orange two-conductor cable and low voltage transformer.	4 1/2	8.50	5.65
2602	One 8" plaster ring for 2610 speaker.	1	1.20	.80
2602-12	Twelve 8" plaster rings for 2610 speaker.	5 1/2	12.00	8.00
2402	One plaster ring for 2410 or 2310 speaker.	1	1.00	.70
2402-12	Twelve plaster rings for 2410 or 2310 speaker.	4 1/2	10.00	6.65
1652	Door speaker box for 1670 speaker.	1/2	1.00	.70
1652-6	Six door speaker boxes for 1670 speaker.	1 3/4	5.00	3.35
2303	BACK CAN: Stainless back can for 2320 patio speaker. 9 1/8" wide, 5" high, and 3 1/4" deep.	1	5.00	3.35
WIRE & ACCESSORIES				
CAUTION: Do not substitute any four-conductor cable in place of 2710 and 2711 for speakers 2610, 2410, 2310 and 2320 as unsatisfactory operation will result.				
2710	50 feet of special four-conductor cable for room speakers 2610, 2410, 2310, and 2320.	1	4.00	2.70
2711	150 feet of special four-conductor cable for room speakers 2610, 2410, 2310, and 2320.	2 1/2	12.00	8.00
2712	50 feet two-conductor cable (brown) for door speaker.	1/2	1.90	1.25
2713	25 feet two-conductor cable (orange) for remote transformer.	1/2	1.00	.70
569-665	Special four-conductor cable for speakers 2610, 2410, 2310, and 2320. Random lengths on spools between 4,000 to 5,000 feet. Priced per foot and subject to change to prevailing price at time of shipment.	.50	.070	.046
2717	AM-FM antenna—brown twin lead dipole.	1/2	2.00	1.35
501-006	TRANSFORMER: 16 volts for Models 4600 and 3600.	1	5.00	3.10
2719	ANTENNA: FM Aluminum dipole. Antenna only.	3	7.40	4.95
2720	PHONO ADAPTER KIT: Single gang stainless steel plate with phono receptacle and 25 feet shielded cable with phono plug.	1	3.20	2.15

FIRE & ENTRY ALARM

STOCK NUMBER	DESCRIPTION	APPROX. WT.	LIST PRICE	DEALER
CONTROL CENTER				
2730	ALARM CONTROL CENTER: Consists of sub panel with terminal strip and 24 V AC transformer. Also cover panel with electrical components and controls. Mounts to double gang box. One control per carton.	5 lb.	49.90	33.25
SMOKE AND - OR FIRE SENSORS				
2736	SMOKE & HEAT DETECTOR: Operates independently or in conjunction with no. 2730 alarm control. Has loud built in horn which sounds when heat of 135° or smoke is detected.	2 lb.	79.90	53.27
2701	ONE 135° FIRE SENSOR: For interior installation where temperature do not exceed 135°	2 oz.	3.40	2.25
2701-10	TEN 135° FIRE SENSORS: Same as above packaged 10 per carton.	1 lb.	30.00	20.00
2714	ONE 200° FIRE SENSOR: For attic or other locations where temperature normally can exceed 135°	2 oz.	3.40	2.25
2714-10	TEN 200° FIRE SENSORS: Same as above packaged 10 per carton.	1 lb.	30.00	20.00
DOOR, WINDOW, ALERT SWITCHES				
2702	ONE FALSE ENTRY ALARM SWITCH: Plunger type alarm switch for doors and windows. Circuit closed when plunger depressed.	3 oz.	2.60	1.75
2702-10	TEN FALSE ENTRY ALARM SWITCHES: Same as above packaged 10 per carton.	2 lb.	23.00	15.35
2728	MAGNETIC SWITCH: For use on sliding doors, windows, and doors where desirable. Contacts closed with magnet engaged.	2 oz.	4.80	3.20
2728-10	TEN MAGNETIC SWITCHES: Same as above packaged 10 to carton.	1 lb.	45.00	30.00
2703	ONE EMERGENCY ALERT BUTTON: Momentary switch mounted on single gang plate for standard receptacle box. Circuit normally closed. Connected in series in fire or entry circuit.	5 oz.	4.00	2.80
2703-3	THREE EMERGENCY ALERT BUTTONS: Same as above three per carton.	1 lb.	11.00	7.35
ENTRY & EXIT ACCESSORIES				
2735	ENTRANCE DELAY CONTROL: Delays alarm while leaving or entering home while no. 2730 alarm control is active. Mounts to double gang box. Five feet four conductor cable included.	2 lb.	19.00	12.75
2731	KEY SHUNT SWITCH: Used to activate no. 2735 delay control while making authorized entry. Mounts to hinge side of door. Two keys included.	1 lb.	9.00	6.00
2732	DOOR SHUNT CORD: Used on door in conjunction with no. 2731 shunt switch.	1 lb.	1.80	1.20
2726	ONE FLUSH MOUNT PUSH BUTTON: Used to activate no. 2735 delay control while leaving home with alarm active.	2 oz.	.60	.40
2726-10	TEN FLUSH MOUNT PUSH BUTTONS: Same as above packaged 10 per carton.	1 lb.	5.40	3.60

FIRE & ENTRY ALARM - ACCESSORIES

STOCK NUMBER	DESCRIPTION	APPROX. WT.	LIST PRICE	DEALER
AUXILIARY ALARM SIGNALS				
2733	BELL, 6" FOR EXTERIOR: Extro loud vibrating dome shaped bell recommended as outside fire alarm signal. Mounts to wall or eave with or without a junction box. 24V AC.	4 lb.	23.00	15.35
2734	BELL, 3" FOR INTERIOR: Loud vibrating dome shaped bell recommended as inside fire alarm signal. 24 V AC.	1 lb.	14.40	9.60
2737	HORN, 6" FOR EXTERIOR: Extro loud vibrating horn recommended for outside entry alarm signal. Mounts flush to wall or eave to rough in box supplied.	5 lb.	29.00	19.30
WIRE AND SWITCH BOXES				
2704	100 feet three-conductor cable to connect control center to the master station (black, white, green).	3 lb.	6.00	4.00
2705	1000 feet three-conductor cable to connect control center to master station.	15 lb.	50.00	33.35
2706	1000 feet spool two conductor brown cable for door speaker or fire alarm circuit.	10 lb.	32.00	21.35
2707	1000 feet two-conductor orange cable for entry circuit.	10 lb.	32.00	21.35
2738	250 feet spool 20 ga. Two conductor for alarm signal and entry delay circuits.	7 lb.	10.00	6.65
2708-6	Six gangable switch boxes. May be gonged for alarm control center or used single gong for emergency alert button.	5 lb.	3.60	2.40

















RANGAIRE

PRICE LIST

VENTILATING EXHAUST UNITS & ELECTRIC HEATERS

	MODEL	DESCRIPTION	WEIGHT	LIST PRICE	DEALER PRICE 1-5	DEALER PRICE 6 or More
 1205	1205	Surface Mounted radiant heater - 1000 watt, chrome grille.	3 3/4	19.90	13.25	12.45
 1212	1212	Surface Mounted forced air, radiant heater - 1200 watt. Chrome finish.	6	27.90	18.55	17.45
 1213	1213	Surface mounted heater-light combination - 1000 watt. Fan cooled. Chrome finish.	6	33.00	21.95	20.60
 1214	1214	Heater-Exhaust Fan combination. Ceiling mount - 1200 watt. Includes wall switch.	9	52.20	34.70	32.65
 1214-1	1214-1	Rough-In box and motor mount for Model 1214	3 1/2	3.70	2.45	2.30
 1215	1215	Heater-Exhaust Fan-Light combination - 1320 watt heater. Includes wall switch.	9	58.20	38.70	36.40
 1215-1	1215-1	Rough-In box and motor mount for Model 1214.	3 1/2	3.70	2.45	2.30
 1310	1310	Bathroom Exhaust Fan. Horizontal or vertical installation.	6	17.00	11.30	10.60
 1311	1311	Bathroom Exhaust. Squirrel cage blower. Horizontal or vertical installation.	6	21.90	14.60	13.70
 1312-1	1312	Kitchen and Bathroom utility exhaust fan, 8-inch. Vertical venting. Chrome grille	7	22.80	15.15	14.25
 1312-1	1312-1	Reducer damper for Model 1312. Reduces from 9-inch to 8-inch dia.	2	3.50	2.35	2.20
 110	110	Kitchen exhaust. Squirrel Cage blower. Includes light, filter, switch, damper.	15	41.00	27.35	25.65

RANGAIRE

PRICE LIST

Effective November 7, 1966

BATHROOM & UNDERCABINET LIGHTS

MODEL	DESCRIPTION	LIST	DEALER
UCL-15	SS only w/lamp	13.10	8.75
UCL-20	SS only w/lamp	19.40	12.95
UCL-20	White w/lamp	18.20	12.15
UCL-40	White w/lamp	20.20	13.45
CRP 114LT	Chrome w/lamp	16.40	10.95
CRP 115LT	Chrome w/lamp	15.00	10.00
CRP 120LT	Chrome w/lamp	15.00	10.00
CRP 130RS	Chrome w/lamp	20.00	13.33
CRP 140RS	Chrome w/lamp	20.30	13.55
CRPV 230RS	Chrome w/lamp	28.40	18.95
CRPV 240RS	Chrome w/lamp	28.90	19.25
CRPV 220LT	Chrome w/lamp	21.30	14.20

If any unit is required less switch or convenience outlet or both deduct 25c for the switch or convenience outlet or 50c if both are not required.

EXAMPLES:

UCL-15	SS only w/lamp		
	Less Switch	12.60	8.40
UCL-15	SS only w/lamp	12.10	8.05
	Less Switch and Convenience outlet		

FILTER PRICE LIST

<u>Part No.</u>	<u>Size</u>	<u>Grease Filters</u>	<u>For Models</u>	<u>List Price</u>
610-002	9-13/16 x	9-13/16 x 3/8	30, 45, 150	\$ 2.50
610-004	13-3/8 x	8-5/16 x 1/2	87	3.60
610-005	19 x	8-1/2 x 3/32	200, 210, 270, 290, 400, 410, 420	4.00
610-006	22 x	11 x 1/2	293	6.00
610-007	11-11/16 x	9-13/16 x 3/8	120, 123, 130, 145, 393	2.50
610-008		10.425" Diam.	132, 500	2.50
610-009	9-13/16 x	9-13/16 x 3/32	523	4.00
610-010	18 x	9 x 3/8	593, 820	2.80
610-011	17-1/4 x	9-1/2 x 1/2	600	2.80
610-012	15-13/16 x	6-5/8 x 1/2	110, 700, 720, 900, UC-2, UC-58	2.50
610-014	23-15/16 x	5-5/16 x 1/2	1500	3.50
610-015	23-15/16 x	5-5/16 x 3/32	1575	3.50
610-017	15-15/16 x	7-15/16 x 1	UC-1	3.80
610-018	13-15/16 x	12-3/16 x 3/8	220, 223	3.80
610-019	18-15/16 x	8-15/16 x 3/8	300, 623	3.80
610-020		Hinge Type	UC-50	3.80
610-021	28-1/4 x	11-7/16 x 3/32	510	5.00
610-022-1	26 x 6 x	3/8 (With studs)	740, 743	3.80
<u>Smoke Filters</u>				
611-001	28-1/4 x	3-7/8	290, 600	9.00
611-002	22 x	11	293	3.00
611-005	18-15/16 x	8-15/16	623	3.00
<u>Charcoal Filters</u>				
612-001	28-1/4 x	3-7/8 x 1/2	290, 600	7.50
612-002	22 x	11 x 1/2	293	9.00
612-003	11-11/16 x	9-13/16 x 1/2	123, 393	6.00
612-004	9-13/16 x	9-13/16 x 1/2	523	6.00
612-005	18 x	9 x 1/2	593	7.00
612-007	23-15/16 x	5-15/16 x 1/2	1575	6.00
612-008	13-15/16 x	12-13/16 x 1/2	223	6.00
612-009	18-15/16 x	8-15/16 x 1/2	623	6.00
612-010	26 x	6 x 1/2	743	8.40
<u>Combination Filters</u>				
613-001	Grease & Smoke combined		743	5.00

RANGAIRE COLOR COORDINATES

	Rangaire	Caloric	Chambers	Dixie	Frigidaire	Gaffers Sattler	Gen. Electric	Hardwick	Hot Point	Kelvinator	Magic Chef	Madern Maid	Norge	O'Keefe Merritt	Philco	Preway	Roper	Suburban	Sunray	St. Charles	Tappan	Thermador	Vernoise	Vesta	W. K. Universal	Westinghouse	RCA Whirlpool
101 Yellow		X									X			X					X		X		X				X
102 Yellow	X		X	X		X	X	X	X	X		X			X		X							X	X		
103 Yellow					X																					X	
104 Pink					X									X	X		X		X		X						X
105 Pink		X	X			X	X	X	X	X	X	X	X					X					X		X	X	
106/119 Shaded Coppertone	X	X	X	X		X	X		X	X	X	X		X			X		X		X	X		X		X	
107/119 Shaded Fashion Finish								X																			
108 Turquoise	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		X				X	X
110 Brown							X		X																		
111 Coppertone					X										X												
112 White	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
113 Colonial White	X																										
116 Coppertone																											X
118/119 Shaded Coppertone																		X									
116/164 Shaded Coppertone																									X		X
120 Gloss Black	X		X																								
112/123 French Provincial White											X																
126 Copperlux			X																								
128/129 Cinnamon Spice																									X		
131 Doeskin																											X
132/119 Shaded Coppertone								X																			
133/134 Sierra Sand								X																			
135 Deep Aqua																				X							
139 St. Charles Desert Beige																				X							
140 Red			X																								
142/143 Avocado Green		X						X						X						X							
144 Metallic Coppertone	X																										
111/145 Shaded Coppertone					X																						
146 Honey Beige					X																						
148 Bronze Green	X		X																								
149 Flat Black	X																										
151 Charcoal					X																						
152 Provincial White																					X						
153/154 Tahitian Green					X																						
155 Sandalwood						X																					
156 Autumn Haze					X																						
157/158 Provincial														X													
161/162 Sapphire Blue																											X
131/163 Fawn																											X
165 Black Crinkle	X																										
172 White Crinkle	X																										
173 Gold Crinkle	X																										
174 Red Crinkle	X																										
175/176 Harvest Gold							X																				